



Free informational handouts for educators, parents, and students

National Speech-Language-Hearing Month - Identify the Signs

by Abby Sakovich M.S., CCC-SLP

May is National Speech-Language-Hearing Month, a month dedicated to raising awareness about communication disorders and the professionals who treat them. The American Speech-Language-Hearing Association's (ASHA) campaign, Identify the Signs, seeks to help parents recognize signs of speech, language, and hearing disorders and find the help needed to address these disorders.



Signs of a Language Disorder

| | Age Range | Sign |
|--|---------------------|---|
| | birth and older | does not smile/interact with others |
| | 4 - 6 months | does not babble ("bababa") |
| | 7 - 9 months | very few sounds or gestures (pointing) |
| | 10 months - 2 years | poor comprehension of what others say |
| | 19 months - 2 years | says only a few words |
| | 19 moths - 3 years | does not combine words into sentences |
| | 3 - 4 years | speech is difficult for listeners to understand |
| | 4 -5 years | difficulty with early literacy and pre-writing skills |

Signs of a Speech Sound Disorder

| Age Range | Sign |
|---------------|--|
| 2 - 3 years | incorrect production of early sounds /p,b,m,h, w/ in words |
| 3 - 4 years | • incorrect production of /k,g,f,t,d,n/ in words |
| 2 - 3 years | speech is unclear, even to familiar listeners |

Signs of a Stuttering Disorder

| | Age Range | Sign |
|--|-----------|--|
| | any age | • repeats the first sound of words (b-b-b-baby for "baby") |
| | any age | • stretches sounds out while talking (sssss-silly for "silly") |
| | any age | shows frustration when trying to get words out |
| | | |



Signs of a Voice Disorder

| The same | | Age Range | Sign |
|----------|---|---------------|-----------------------------------|
| | | any age | hoarse- or breathy-sounding voice |
| | any age | loss of voice | |
| 2 | We de la constant de | any age | effortful or strained voice |

Signs of a Hearing Problem

| | ŀ |
|--------|---|
| | - |
| | ŀ |
| 100 16 | |

| Age Range | Sign |
|---------------------|---|
| birth - 3 months | poor attention to sounds in the environment |
| 7 months - 9 months | does not respond when name is called |
| 13 - 18 months | difficulty following simple directions |
| birth - 3 years | delays in speech and/or language development |
| any age | scratching or pulling at ears |
| school-age | limited academic progress, especially math and/or reading |
| school-age | social isolation and unhappiness at school |
| any age | discomfort in ears after exposure to loud noise |

If you think your child may have problems with speech, language, or hearing...

Do not hesitate to ask your child's pediatrician about an evaluation from a certified Speech-Language Pathologist or Audiologist. If your child is school-age, discuss your concerns with his/her teacher. Identifying a communication disorder early plays a key role in how soon effective and appropriate treatment can take place.



Resources:

Know the Signs of Speech & Language Disorders by the American Speech-Language-Hearing Association. Retrieved 5/13/2025 from www.identifythesigns.org

Know the Signs of Hearing Loss by the American Speech-Language-Hearing Association. Retrieved 5/13/2025 from www.identifythesigns.org

For more FREE Handy Handouts®, go to www.handyhandouts.com